


© Original Artist
Reproduction rights obtainable from
www.CartoonStock.com



"THE BAD NEWS IS WE HAVE TO AMPUTATE YOUR LIVER—THE GOOD NEWS IS IT'LL BE GREAT WITH ONIONS!"


Data Modeling using the Entity-Relationship (ER) Model



Overview of Database Design

❖ “Conceptual Schema” design:

- What are the *Entities* and *Relationships* (ER) of the enterprise?
- What information about these entities and relationships should be stored in the database?
- What are the *integrity constraints* or *rules* that hold?
- A database “model” can be represented pictorially (*ER diagrams*), but they are seldom used in practice.
- ER models are often used to construct relational database.



Other Data Models

❖ Hierarchical


- Tree-based
- Data is partitioned into smaller and smaller groups to facilitate searching and enumeration


❖ Network

- Graph-based
- Datatypes are “linked” to other datatypes
- Hierarchical and relational are specializations of network models

❖ Object-Oriented

- Adds inheritance to the Network model to allow for new, related datatypes






ER Modeling



- ❖ Entity: A thing distinguishable from other things. Entities are characterized by a set of attributes.
- ❖ Entity Set: A collection of entities. E.g., all employees.
 - All entities in an entity set have the same set of attributes. (Until we consider ISA hierarchies, anyway!)
 - Each entity set has one or more *key* attributes that uniquely identifies it. By convention, the key is indicated by underlining.
 - Each attribute has a *domain*. (a *type* with possible constraints)

ENTITY		
Attribute ₁	Attribute ₂	Attribute ₃


EMPLOYEE			
<u>SSN</u>	FirstName	LastName	JobTitle



ER Model Basics





- ❖ Relationship: Associations between Entities.
e.g., David works in the Math department.
- ❖ Relationship Set: Collection of similar relationships.
 - An n -ary relationship set, R , relates n entity sets $E_1 \dots E_n$; each relationship in R involves entities $\{(e_1, \dots, e_n) \mid e_1 \in E_1, \dots, e_n \in E_n\}$ a.k.a a tuple
 - Same entity set could participate in different relationship sets (a member of multiple departments), or in different “roles” in same set (a manger is also an employee).




Key Constraints


- ❖ Consider Works_In:
An employee can work in many departments; a dept can have many employees.
- ❖ In contrast, each dept might have only one manager, placing constraints on Reports_To.




1-to-1




1-to Many



Many-to-1





Many-to-Many



Participation Constraints


- ❖ Must every department have a manager?
 - If so, this is a *participation constraint*: the participation of Departments in Manages is said to be *total* (vs. *partial*).
 - Every Departments entity must appear in an instance of the Manages relationship, which relates each department to the employee who manages it.






Weak Entities


- ❖ A *weak entity* can be identified uniquely only by considering the primary key of another (*owner*) entity.
 - Owner entity set and weak entity set must participate in a one-to-many relationship set (one owner, many weak entities).
 - Weak entity set must have total participation in this *identifying* relationship set.






ISA ('is a') Hierarchies

- ❖ It is often useful to partition entities into classes, like in an OOL
- ❖ If we declare A **ISA** B, every A entity is also considered to be a B entity.




- ❖ *Overlap constraints*: Can Joe be an Salary_Emp as well as a Hourly_Emp entity? (*Allowed/disallowed*)
- ❖ *Covering constraints*: Does *every* Employee entity also have to be either an Salary_Emp or a Hourly_Emp entity? (*Yes/no*)
- ❖ Reasons for using ISA:
 - To add descriptive attributes specific to a subclass.
 - To identify entities that participate in a relationship.



Aggregation


❖ Used when we have to model a relationship involving (entity sets and) a *relationship set*.

- Aggregation allows a *relationship to be treated as an entity* for purposes of participation in (other) relationships.



Aggregation vs. ternary or higher order relationships:

- ❖ Monitors is a distinct relationship with its own descriptive attributes.
- ❖ Allows constraints on attribute subsets. A project is monitored by one employee.




Conceptual Design Using the ER Model

❖ Design choices:

- Should a concept be modeled as an entity or an attribute?
- Should a concept be modeled as an entity or a relationship?
- Identifying relationships: Binary or ternary?
Aggregation?


❖ Constraints in the ER Model:

- A lot of data semantics can (and should) be captured.
- But some constraints cannot be captured in ER models.



Entity vs. Attribute

- ❖ Should *address* be an attribute of Employees or an entity (connected to Employees by a relationship)?
- ❖ Depends upon the use we want to make of address information, and the semantics of the data:
 - If we have several addresses per employee, *address* must be an entity (since attributes cannot themselves be sets (multivalued)).
 - If the structure (city, street, etc.) is important, e.g., we want to retrieve employees from a given city, *address* must be modeled as an entity (since attribute values are atomic).



Entity vs. Attribute (Contd.)

- ❖ Works_In does not allow an employee to work in a department for two or more periods, or track historical information.
- ❖ Similar to the problem of wanting to record several addresses for an employee: We want to record *several values of the descriptive attributes for each instance of this relationship*. Accomplished by introducing new entity set, Duration.

EMPLOYEE			
• <u>SSN</u>	FirstName	LastName	JobTitle

WORKS_IN			
• <u>SSN</u>	• <u>DNO</u>	From	To


DEPARTMENT		
<u>DNO</u> •	Name	Budget

EMPLOYEE			
• <u>SSN</u>	FirstName	LastName	JobTitle

WORKS_IN		
• <u>SSN</u>	• <u>DNO</u>	• <u>DID</u>


DURATION		
• <u>DID</u>	From	To


DEPARTMENT		
<u>DNO</u> •	Name	Budget



Entity vs. Relationship

- ❖ First ER set OK if a manager gets a separate discretionary budget for each dept.
- ❖ What if a manager gets a discretionary budget that covers *all* managed depts?
 - **Redundancy:** *dbudget* stored for each dept managed by manager.
 - **Misleading:** Suggests *dbudget* associated with department-mgr combination.







Binary vs. Ternary Relationships

❖ If each policy is owned by just 1 employee, and each dependent is tied to the covering policy, first diagram is inaccurate.


❖ What are the additional constraints in the 2nd design?






Binary vs. Ternary Relationships (Contd.)

- ❖ Previous example illustrated a case when two binary relationships were better than one ternary relationship.
- ❖ An example in the other direction: a ternary relation **Contracts** relates entity sets **Parts**, **Departments** and **Suppliers**, and has descriptive attribute *qty*. No combination of binary relationships is an adequate substitute:
 - S “can-supply” P, D “needs” P, and D “deals-with” S does not imply that D has agreed to buy P from S.
 - Where do we record *qty*?




Summary of Conceptual Design

- ❖ *Conceptual design follows requirements analysis,*
 - Yields a high-level description of data to be stored
- ❖ ER model popular for conceptual design
 - Constructs are expressive, close to the way people think about their applications.
- ❖ Basic constructs: *entities, relationships, and attributes* (of entities and relationships).
- ❖ Some additional constructs: *weak entities, ISA hierarchies, and aggregation.*
- ❖ Note: There are many variations on ER model.




Summary of ER (Contd.)

- ❖ Several kinds of integrity constraints can be expressed in the ER model: *key constraints*, *participation constraints*, and *overlap/covering constraints* for ISA hierarchies. Some *foreign key constraints* are also implicit in the definition of a relationship set.
 - Some constraints (notably, *functional dependencies*) cannot be expressed in the ER model.
 - Constraints play an important role in determining the best database design for an enterprise.



Summary of ER (Contd.)

- ❖ ER design is *subjective*. There are often many ways to model a given scenario! Analyzing alternatives can be tricky, especially for a large enterprise. Common choices include:
 - Entity vs. attribute, entity vs. relationship, binary or n-ary relationship, whether or not to use ISA hierarchies, and whether or not to use aggregation.
- ❖ Ensuring good database design: resulting relational schema should be analyzed and refined further. FD information and normalization techniques are especially useful.



Next Time

- ❖ Setup an environment
- ❖ Look at files
- ❖ Basic file “model”
- ❖ Think about how scan and process data

