



Overview of Transaction Management

Chapter 16





Database Transactions

- ❖ A transaction is the DBMS's abstract view of a *user program*: a sequence of database commands; disk reads and writes.
- ❖ *Concurrent execution* of user programs is essential for good DBMS performance.
 - Because disk accesses are frequent, and relatively slow, it is important to keep the cpu busy by working on several user programs concurrently.
- ❖ A user's program may carry out many consecutive operations on the data retrieved from the database, but the DBMS is only concerned about what data is read/written from/to the database.



ACID Properties of Transactions

- ❖ *Atomic*: the end effect of a transaction should be *all or nothing*. Either it is executed to completion, or it is as if it never happened. (DBMS provides this)
- ❖ *Consistency*: Every transaction must preserve all constraints of the database. (User and DBMS)
- ❖ *Isolation*: The result of a transaction should give predictable results regardless of any concurrent transactions. (DBMS)
- ❖ *Durability*: Transactions must tolerate crashes and being aborted before completion allowing the database to be recoverable to a consistent state. (DBMS)



Concurrency in a DBMS

- ❖ Users submit a transaction, and can think of it as executing *by itself* on the database.
 - Concurrency is provided by the DBMS, which interleaves the actions (reads/writes) of many transactions.
 - Each transaction must leave the database in a consistent state if the DB was consistent when the transaction began.
 - DBMSs only enforce Integrity Constraints
 - Beyond this, the DBMS does not understand the data. (e.g., it does not understand how interest on a bank account is computed).
- ❖ Issues: Effect of *interleaving transactions* and *crashes*.



Interleaving's Impact

- ❖ Interleaving improves database performance
 - While one transaction waits for pages to be read from disk, the CPU processes other transactions. I/Os proceed in parallel with CPU activity
(greater system utilization)
 - Increased system *throughput* (transactions/sec)
 - More “fair” than true sequential access; allows all pending transactions to make progress (heavy transactions, don’t starve out light ones)
 - Predictable *latency* (delay from request to completion)
- ❖ However, interleaving can lead to anomalies
 - Sequential inconsistency



Example

- ❖ Consider two transactions (*Xacts*):

T1:	BEGIN	$C=C+100$,	$S=S-100$	END
T2:	BEGIN	$C=1.02*C$,	$S=1.04*S$	END

- ❖ Intuitively, the first transaction is transferring \$100 from a savings to a checking account. The second is crediting both accounts interest payments.
- ❖ There is no guarantee that T1 will execute before T2 or vice-versa, if both are submitted together. However, the net effect *must* be equivalent to some execution of these two transactions run sequentially.




Example (Contd.)

- ❖ Consider a possible interleaving (schedule):

T1:	$C=C+100,$	$S=S-100$
T2:	$C=1.02*C,$	$S=1.04*S$

Same
result as
T1
followed
by T2



- ❖ This is OK. But what about:

T1:	$C=C+100,$	$S=S-100$
T2:	$C=1.02*C, S=1.04*S$	

Inconsistent
with any
order of T1
and T2



- ❖ The DBMS's view of the second schedule:

T1:	$R_1(C), W_1(C),$	$R_1(S), W_1(S)$
T2:	$R_2(C), W_2(C), R_2(S), W_2(S),$	



Scheduling Transactions

- ❖ Serial schedule: Schedule that does not interleave the actions of different transactions.
- ❖ Equivalent schedules: For any database state, the effect (on the set of objects in the database) of executing the first schedule is identical to the effect of executing the second schedule.
- ❖ Serializable schedule: A schedule that is equivalent to *some* serial execution of the transactions.

(Note: If each transaction preserves consistency, every serializable schedule also preserves consistency.)



Atomicity of Transactions

- ❖ An important property guaranteed by the DBMS is that transactions are atomic. That is, a user can think of a Xact as either always executing all its actions in one step, or not executing any actions at all.
- ❖ A transaction might *commit* after completing all its actions, or it could *abort* (or be aborted by the DBMS) after executing some actions.
- ❖ DBMS *logs* all actions so that it can *undo* aborted transactions.



The 3 Classes of Anomalies

- ❖ Reading Uncommitted Data--
Write-Read (WR) Conflict, “dirty reads”:

T1:	R(A), W(A),	R(B), W(B), Abort
T2:	R(A), W(A), R(B), W(B), C,	

- ❖ Unrepeatable Reads--
Read-Write (RW) Conflict:

T1:	R(A),	W(A), R(B), W(B), C
T2:	R(A), W(A), R(B), W(B), C,	



T2's write of A is lost



Anomalies (Continued)

- ❖ Overwriting Uncommitted Data
Write-Write (WW) Conflict, “blind write”:

T1:	W(A),	↘	W(B), C
T2:	W(A),	W(B), C	



T1's write of A is lost

- ❖ All 3 anomalies involve at least one write
- ❖ How do we avoid these?



Lock-Based Concurrency Control

❖ Strict Two-phase Locking (Strict 2PL) Protocol:

- Each Xact must obtain a *shared (S)* lock on object before reading, and an *exclusive (X)* lock on object before writing. (of course, you can both read and write an object with an X lock)
 - All locks held by a transaction are released when the transaction completes (at Commit or Abort)
 - If an Xact holds an X lock on an object, no other Xact can get either an S or X lock on that object.
- ❖ Strict 2PL allows only serializable schedules.
- Additionally, it simplifies aborts (more soon)



Examples

- ❖ **Common case:** Xacts affect different parts of db. $T1: B = f(B, A), T2: C = g(C, A)$

T1:	S(A), R(A),	X(B), R(B), W(B), C
T2:	S(A), R(A), X(C), R(C), W(C), C	

- ❖ **Hot spots:** Xacts reference a common record.
 $T1: A = f(A), T2: B = f(B, A)$

T1:	X(A), R(A),	W(A), C
T2:	S(A), ...	R(A), X(B), R(B), W(B), C

T1:	X(A), ...	R(A), W(A), C
T2:	S(A), R(A), X(B),	R(B), W(B), C



Deadlocks

- ❖ Transactions request exclusive access to a common locked record. T1: $B = f(B, A)$, T2: $A = g(A, B)$

T1: S(A), R(A), X(B), R(B),	W(B), C
T2:	S(B), ... R(B), X(A), R(A), W(A), C

- ❖ A rare unfortunate ordering, where both transactions wait, and make no progress

T1: S(A), R(A),	X(B), ...	Abort
T2:	S(B), R(B),	X(A), ... X(A), R(A), W(A), C

- ❖ Soln: DBMS monitors how long a transaction has been waiting and aborts it, thus freeing its locks



Aborting a Transaction

- ❖ If a transaction T_i is aborted, all its actions have to be undone. Not only that, if T_j reads an object last written by T_i , T_j must be aborted as well!
- ❖ Releasing transaction locks only on commit/abort avoids *cascading aborts* (abort handling is simplified)
 - If T_i writes an object, T_j can read it only after T_i frees lock.
- ❖ In order to *undo* the actions of an aborted transaction, the DBMS maintains a *log* in which every write is recorded. This mechanism is also used to recover from system crashes: all active Xacts at the time of the crash are aborted when the system comes back up.



Transactions in SQL

- ❖ Transactions begin on any statement that references a table (CREATE, UPDATE, SELECT, INSERT, etc.)
- ❖ Transactions end when either a “COMMIT” or “ROLLBACK” (Abort) command is reached
- ❖ SQL provides a “SAVEPOINT *name*” to break up transactions into intermediate pieces, which can be gotten back to using
“ROLLBACK TO SAVEPOINT *name*”
- ❖ Operations between 2 savepoints are handled as separate Xactions, in terms of concurrency control



The Log

- ❖ The following actions are recorded in the log:
 - *Ti writes an object*: the *old value* and the *new value*.
 - *Ti commits/aborts*: a log record indicating this action.
- ❖ Log records are chained together by Xact id, so it's easy to undo a specific Xact.
- ❖ All log related activities (and in fact, all concurrency-control related activities such as lock/unlock, dealing with deadlocks etc.) are handled transparently by the DBMS.
- ❖ Complication: committed writes might be held in the buffer pool



Recovering From a Crash

- ❖ There are 3 phases in the *Aries* recovery algorithm:
 - Analysis: Scan the log forward (from the most recent *checkpoint*) to identify all Xacts that were in progress, and all dirty pages in the buffer pool at crash time
 - Redo: Redoes all updates to dirty pages in the buffer pool, as needed, to ensure that all logged updates are in fact carried out and written to disk.
 - Undo: The writes of all Xacts that were in progress at crash time are undone (by restoring the *old value* of the data, which is in the log record for the update), working backwards in the log. (Some care must be taken to handle the case of a crash occurring during the recovery process!)



Summary

- ❖ Concurrency control and recovery are among the most important functions provided by a DBMS.
- ❖ Users need not worry about concurrency.
 - System automatically inserts lock/unlock requests and schedules actions of different Xacts in such a way as to ensure that the resulting execution is equivalent to executing the Xacts one after the other in some order.
- ❖ Write-ahead logging (WAL) is used to undo the actions of aborted transactions and to restore the system to a consistent state after a crash.
 - *Consistent state*: Only the effects of committed Xacts seen.